

Expand your potential

with AOC portable monitors

More screen real-estate increases productivity,

allowing you to multi-task, keeping an eye on emails, having multiple applications open, or easily following videoconferences. But what if you are out of your office without your desktop screen?

With a portable monitor connected to your laptop you can work better and smarter wherever you are - at your home office, when traveling or visiting customers, or even if you are studying in the library. Possibilities are endless and so is the flexibility when using an additional portable monitor.



- > Lightweight and portable to carry with you everywhere
- > Simple one cable connection that expand your productivity on-the-go
- > Extra screen space to share your ideas
- > Easily viewable from any angle with IPS panel
- > Type, scroll or touch with 10 points capacitive touch¹
- > **Built in speakers** to support what you do wherever you are with better audio quality²

¹ 10 points capacitive touch is available only in certain models.

² Speakers are also available only in certain models



¹ "Multi-Monitor Study - Usage and Trends," Jon Peddie Research, October 16, 2017, jonpeddie.com; "Productivity and Multi-Screen Computer Displays", Colvin J, Tobler N, Anderson JA. Rocky Mountain Communication Review. 2004; 2(1); 31-53; "Multi-Monitor Study - Usage and Trends," Jon Peddie Research, October 16, 2017, jonpeddie.com









Features



Pack and go

Thinner than majority of notebooks, lighter than most water bottles - the AOC portable monitors are really slim and lightweight. They fit perfectly in a backpack or purse and are easy to carry. With protective cover or sleeve, the screen is safe from scratches or dust, so you do not need to worry about it being damaged when you're on-the-go. Your portable monitor works perfectly with both phones and laptops. It can even work as a power bank when you're on the go. ²

² Only applicable to some models



Versatile Smart Cover

While using it, the smart cover transforms into a flexible stand to set up the display in portrait and landscape mode easily. ³

One cable, multiple options

AOC portable monitors can easily be used without any additional power source! Just plug them to your laptop or smartphone, and you're ready to go! USB DisplayLink technology, USB-C, Hybrid Solution, or MicroHDMI - you can choose your preferred connection and AOC will have you covered. ³



Enjoy the stereo sound

Upgrade tiny smartphone speakers with this wider soundstage and improved sound experience. Integrated stereo speakers with 2x 1W sound output for improved sound quality, to enjoy videos or games. 3

³ USB-C, smart cover and stereo speakers are available only in certain models.



Choose your portable solution















PS	MODEL NUMBER	16T2	I1601FWUX	I1659FWUX	E1659FWU	I1601P	
PS	Screen size	15.6"	15.6"	15,6"	15.6"	15.6"	
	PICTURE/DISPLAY						
Sepect ratio 16:9	LCD Panel type	IPS	IPS	IPS	TN	IPS	
Carbotalight WILED MURED MURED MURED MICHORA 60Hz 160/160 300/160 160/160 300/1	Optimum resolution	1920x1080	1920x1080	1920x1080	1366x768	1920x1080	
	Aspect ratio	16:9	16:9	16:9	16:9	16:9	
Brightness ratio (cd/mz) 250 220 220 220 220 Contrast ratio (typical) 700:1 700:1 500:1 700:1 700:1 Refersh rate 60Hz 60Hz 60Hz 60Hz 60Hz 60Hz 60Hz Response time (ms) 4 5 10 12 5 2 Found 0.179 0.179 0.252 0.252 0.252	Backlight	WLED	WLED	WLED	WLED	WLED	
Contrast ratio (typical) 700:1 700:1 700:1 700:1 700:1 700:1 700:1 700:1 700:1 60Hz	Viewing angle (CR10)	170/170	160/160	160/160	90/60	160/160	
Referesh rate 60Hz	Brightness ratio (cd/m2)	250	220	220	220	220	
Response time (ms) 4 5 10 12 5 Pole pitch (mm) 0.179 0.179 0.252 0.252	Contrast ratio (typical)	700:1	700:1	700:1	500:1	700:1	
	Refresh rate	60Hz	60Hz	60Hz	60Hz	60Hz	
	Response time (ms)	4	5	10	12	5	
	Pixel pitch (mm)	0.179	0.179	0.252	0.252		
	Touch	S-Cap (antiglare coating)	-	-	-	-	
LUSB 2x USB-C (DP Alt) 1x USB-C (DP Alt) 1x USB 3.0 1x USB 3.0 1x USB-C (DP Alt) USB-C 2x USB-C (DP Alt) 1x USB-C (DP Alt) - - 1x USB-C (DP Alt) USB-C 2x USB-C (DP Alt) 1x USB-C (DP Alt) - <td>CONNECTIVITY</td> <td></td> <td></td> <td></td> <td></td> <td></td>	CONNECTIVITY						
	VGA/HDMI/Display Port	1x MicroHDMI 1.4	-	-	-	-	
Part	USB	2x USB-C (DP Alt)	1x USB-C (DP Alt)	1 x USB 3.0	1 x USB 3.0	1x USB-C (DP Alt)	
Page	USB-C	2x USB-C (DP Alt)	1x USB-C (DP Alt)	-	-	1x USB-C (DP Alt)	
Personal	Headphones out	Yes	-	-	-	-	
New	FEATURES						
Part	Speakers	Yes	-	-	-	-	
PHYSICAL SPECS/ERGONOMICS Prior (90 degree) Yes, with iMenu Yes, with iMenu Fes, with iMenu Filt (degree) 5/25° 5/25° 15/30° 15/30° 5/25° 0.824 1.2 1.2 0.8 Pointer weight 0.99 0.824 1.2 1.2 0.8 Pointer weight 75x75/100x100 - 75x75 371.9x232.7x35.5 369.8 x 219.14 x 22.2 Pointer weight 75x75/100x100 - 75x75 371.9x232.7x35.5 369.8 x 219.14 x 22.2 Pointer weight 75x75/100x100 - 75x75 371.9x232.7x35.5 369.8 x 219.14 x 22.2 Pointer weight 8 W 8 W 8 W 8 W 6 W 9.3 W	Low Blue Light	-	Yes	Yes	-	-	
Prior (90 degree) Yes, with iMenu Yes, with iMenu Yes, with iMenu - Yes, with iMenu Filt (degree) 5/25° 5/25° 15/30° 15/30° 5/25° Net weight 0.99 0.824 1.2 1.2 0.8 Dimensions W x H x D (mm) 363.4x229.8x9.9 376.2x235.2x8.5 371.9x232.7x35.5 369.8 x 219.14 x 22.2 - ENERGY EFFICIENCY 5/25° - - - - ENERGY EFFICIENCY 5/25° - - - On mode TBC 6 W 8 W 8 W 8 W 6 W Standby mode 0.5 W 0.3 W 0.3 W 1 W 0.3 W Off mode 0.5 W 0.3 W 0.3 W - 0.3 W Ower supply Built-in battery 8000mA Internal Internal Internal Internal Internal APPROVALS TUV-Bauart TUV-Bauart TUV-Bauart TUV-Bauart TUV-Bauart TUV-Bauart WHAT'S IN THE BOX 100.00000000000000000000000000000	FlickerFree	Yes	-	-	-	-	
Prior (90 degree) Yes, with iMenu Yes, with iMenu Yes, with iMenu - Yes, with iMenu Filt (degree) 5/25° 5/25° 15/30° 15/30° 5/25° Net weight 0.99 0.824 1.2 1.2 0.8 Dimensions W x H x D (mm) 363.4x229.8x9.9 376.2x235.2x8.5 371.9x232.7x35.5 369.8 x 219.14 x 22.2 - ENERGY EFFICIENCY 5/25° - - - - ENERGY EFFICIENCY 5/25° - - - On mode TBC 6 W 8 W 8 W 8 W 6 W Standby mode 0.5 W 0.3 W 0.3 W 1 W 0.3 W Off mode 0.5 W 0.3 W 0.3 W - 0.3 W Ower supply Built-in battery 8000mA Internal Internal Internal Internal Internal APPROVALS TUV-Bauart TUV-Bauart TUV-Bauart TUV-Bauart TUV-Bauart TUV-Bauart WHAT'S IN THE BOX 100.00000000000000000000000000000	PHYSICAL SPECS/ERGONOMICS						
Size	Pivot (90 degree)	Yes, with iMenu	Yes, with iMenu	Yes, with iMenu	-	Yes, with iMenu	
Net weight 0.99 0.824 1.2 1.2 0.8	Tilt (degree)				15/30 °		
Signature Sign	_	0.99					
Vesa wallmount (mm) 75x75/100x100 -	-						
TBC 6 W 8 W 8 W 6 W 6 W 6 W 6 W 6 W 6 W 6 W	Vesa wallmount (mm)		-		-	-	
Standby mode 0.5 W 0.3 W 0.3 W - 0.4 W - 0.5 W	ENERGY EFFICIENCY						
Power supply Built-in battery 8000mA Internal In	On mode	TBC	6 W	8 W	8 W	6 W	
Power supply Built-in battery 8000mA Internal In	Standby mode	0.5 W	0.3 W	0.3 W	1 W	0.3 W	
APPROVALS Safety TUV-Bauart TUV-Bauart TUV-Bauart TUV-Bauart TUV-Bauart TUV-Bauart WHAT'S IN THE BOX HDMI cable included 1	Off mode	0.5 W	0.3 W	0.3 W	-	0.3 W	
TUV-Bauart TUV-Bauart TUV-Bauart TUV-Bauart TUV-Bauart TUV-Bauart TUV-Bauart TUV-Bauart WHAT'S IN THE BOX HDMI cable included 1	Power supply	Built-in battery 8000mA	Internal	Internal	Internal	Internal	
WHAT'S IN THE BOX HDMI cable included 1	APPROVALS						
HDMI cable included 1 DisplayPort cable included	Safety	TUV-Bauart	TUV-Bauart	TUV-Bauart	TUV-Bauart	TUV-Bauart	
DisplayPort cable included	WHAT'S IN THE BOX						
	HDMI cable included	1	-	-	-	-	
	DisplayPort cable included	-	-	-	-	-	
	USB cable included	1	1	1	1	1	